

الف) $u^2 - 5u + 6 > 0$
 $(u-2)(u-3)$

u	2	3
y	+	-

$(-\infty, 2) \cup (3, +\infty)$

ب) $u^2 - 4u + 4 < 0$
 $(u-2)(u-2)$

u	2
y	+

ج) $u^2 + 4u + 4 \geq 0$
 $(u+2)(u+2)$

u	-2
y	+

$[-2, +\infty) \cup (-\infty, -2]$

د) $u^2 - 6u + 9 \leq 0$
 $(u-3)(u-3)$

u	3
y	+

$[3, 3]$

الف) $\frac{u^2 - 2u + 1}{u-1} < 0$ $(-\infty, 1) \cup (2, +\infty)$
 $\frac{(u-1)(u-1)}{(u-1)}$

u	1	2
y	-	+

ب) $\frac{u^2-1}{u^2-4u+5} \geq$

$\frac{(u-1)(u+1)}{(u-1)(u-4)}$

$\frac{u}{u} \left| \begin{array}{ccc} -1 & 1 & 0 \\ + & - & - & + \end{array} \right|$

~~(0, +\infty) \cup (-\infty, -1]~~

(۳)

$(0, +\infty) \cup (-\infty, -1]$

الف) $y = \sqrt{\frac{u^2-1}{u^2-4u+5}} = \sqrt{\frac{(u-1)(u+1)}{u(u-4)}} \rightarrow \Delta < 0, \Delta = 1 - 4 - 5 = -8$

(۴)

$\frac{u}{u} \left| \begin{array}{ccc} -1 & 0 & 1 \\ + & - & - & + \end{array} \right|$

$(1, +\infty) \cup (-\infty, -1) \cup (0, 1)$

ب) $y = \sqrt{\frac{u^2-14}{u^2-8u+8}} = \sqrt{\frac{(u-1)(u+14)}{(u-4)(u-2)}} \rightarrow \frac{u}{u} \left| \begin{array}{ccc} -1 & 1 & 14 \\ + & - & - & + \end{array} \right|$

(۵)

$(-\infty, -14] \cup (1, +\infty) \cup (2, 4)$

الف) $y = \sqrt{4 - \sqrt{r-u}} \rightarrow$

$r-u \geq 0 \rightarrow r \geq u$ (۱)

(۵)

$4 - \sqrt{r-u} \geq 0 \rightarrow 4 \geq \sqrt{r-u} \rightarrow 16 \geq r-u$

$u \geq -14$ (۲) (۱) و (۲) $\rightarrow \boxed{r \geq u \geq -14}$

ب) $\sqrt{r} - \sqrt{u-r} \rightarrow$

$u-r \geq 0 \rightarrow u \geq r$ (۱)

(۵)

$\sqrt{r} - \sqrt{u-r} \geq 0 \rightarrow \sqrt{r} \geq \sqrt{u-r} \rightarrow r \geq u-r \rightarrow 11 \geq u$ (۲)

(۱), (۲) $\rightarrow \boxed{11 \geq u \geq r}$

الف) $y = \sqrt{6-4u} = \sqrt{(2-\sqrt{2}u)(2+\sqrt{2}u)}$

$$\begin{array}{c|c} -\sqrt{2} & +\sqrt{2} \\ \hline - & + \end{array}$$

$[-\sqrt{2}, \sqrt{2}]$

6

ب) $y = \sqrt{3|u|-9}$

$3|u|-9 \geq 0$

$3|u| \geq 9$

$|u| \geq 3$

$\begin{cases} u \leq -3 \\ u \geq 3 \end{cases}$

7

الف) $y = \sqrt[3]{\frac{u+1}{u-2}}$

$\Rightarrow u-2 \neq 0$

$u \neq 2 \rightarrow u \neq \pm 2$

$D_f = \mathbb{R} - \{2, -2\}$

8

ب) $y = \sqrt[3]{\frac{\sqrt{u}+1}{\sqrt{u}-2}}$

$\rightarrow D_f = \mathbb{R} - \{2\} - \{9\}$

$u \geq 0$ ①

$\sqrt{u}-2 \neq 0$

$\sqrt{u} \neq 2 \Rightarrow u \neq 4$ ②

$\nearrow \begin{cases} u \geq 0 \\ u \neq 4 \end{cases}$

9

الف) $y = \frac{\sin u}{\cos u - 1}$

$\cos u - 1 \neq 0$

$\cos u \neq 1$

$\bigoplus_{u \neq 0, 2\pi, \dots}$

$D_f = \mathbb{R} - \{u \pm \frac{2\pi}{2}\}$

A

برای هر r

تلفیق: θ



برای هر r

ب) $y = \frac{\cos u + 1}{r \sin u + 1}$

$r \sin u + 1 \neq 0$
 $\sin u \neq -\frac{1}{r}$

$Df = R - \left\{ r k \pi + \frac{\pi}{2}, r k \pi + \frac{3\pi}{2} \right\}$

(1)



ج) $y = \frac{\tan u + r}{\cot u - 1}$

$\tan u = \frac{\sin u}{\cos u} \Rightarrow \cos u \neq 0$
 $\cot u - 1 \neq 0 \Rightarrow \cot u \neq 1$
 $\cot u = \frac{\cos u}{\sin u} \Rightarrow \sin u \neq 0$

$\cot u = \frac{\cos u}{\sin u}$

(2)

(1)



$Df = R - \left\{ k\pi, k\pi - \frac{\pi}{2}, k\pi + \frac{\pi}{2} \right\}$

(1) $\cos u \neq 0 \Rightarrow u \neq \frac{\pi}{2}, u \neq \frac{3\pi}{2} \Rightarrow u \neq k\pi + \frac{\pi}{2}$

(2) $\sin u \neq 0 \Rightarrow u \neq k\pi$

(3) $\cot u \neq 1 \Rightarrow u \neq k\pi + \frac{\pi}{4}$

د) $y = \frac{\sin u + 1}{r \sin u - r}$

$r \sin u - r \neq 0$
 $r \sin u \neq r$
 $\sin u \neq 1$



(1)

$\sin u \neq \pm \frac{1}{r} \Rightarrow u \neq \frac{\pi}{2}, \frac{3\pi}{2}, \frac{\pi}{r}, \frac{3\pi}{r}$

$Df = R - \left\{ k\pi \pm \frac{\pi}{2} \right\}$ $y = \frac{1}{\sqrt{r|u-r| - \frac{1}{r}}}$ (الف)

(1)

$r|u-r| - \frac{1}{r} > 0 \Rightarrow r|u-r| > \frac{1}{r} \Rightarrow |u-r| > \frac{1}{r^2}$

$u-r > \frac{1}{r^2} \Rightarrow u > r + \frac{1}{r^2}$
 $u-r < -\frac{1}{r^2} \Rightarrow u < r - \frac{1}{r^2}$

$Df = \left(\frac{1}{r^2}, +\infty \right) \cup \left(-\infty, r - \frac{1}{r^2} \right)$

ب) $y = \sqrt{r-|u|} \rightarrow r-|u| \geq 0 \rightarrow r \geq |u| \rightarrow r \geq |u|$

(1)

$r \geq |u| \geq -r$

ب) $\sqrt{\frac{|u|}{|u|}} \quad Df = R - \{0\}$