

سوال ①:

$$\frac{x+y}{2} = \sqrt{xy} \rightarrow x+y-2\sqrt{xy}=0$$

جواب تابع است

$$\hookrightarrow (\sqrt{x}-\sqrt{y})^2=0 \rightarrow \sqrt{x}=\sqrt{y} \rightarrow x=y$$

$$x_1=x_r \rightarrow rx_1^r+rx_1-1=rx_r^r+rx_r-1$$

الف) تابع است

$$\hookrightarrow x_1^r=x_r^r \rightarrow x_1=x_r$$

$$xy^r+rx-y^r-ry=0 \quad x(y^r+r)=y^r+ry$$

د) تابع است

$$\hookrightarrow x=y$$

$$x=\frac{r}{r} \rightarrow \frac{r}{r} \cos y = y \cos \frac{r}{r} \rightarrow \frac{r}{r} \cos y = 0 \quad y=\pm \frac{\pi}{2}$$

ب) تابع نیست

سوال ②:

$$\left. \begin{array}{l} y \geq 0 \rightarrow x^2=y \\ y < 0 \rightarrow x^2=3y \end{array} \right\} \Rightarrow |y|+x^2=2y \rightarrow x^2=2y-|y|$$

الف)

$$\rightarrow 2y-|y| \geq 0 \Rightarrow 2y \geq |y| \Rightarrow y \geq 0$$

$$y=x^2 \rightarrow \text{نقطه‌های اول قابل قبول است}$$

جواب تابع است

$$[y]+[x]=1 \xrightarrow{x=1} [y]=0 \rightarrow y \in [0, 1)$$

ب)

جواب نیست

سوال ③:

$$f(x) = \begin{cases} 12x^2-6 & |x-1| \geq 2 \Rightarrow x \geq 3 \cup x \leq -1 \\ a+bx & 0 \leq x \leq 2 \end{cases}$$

جواب تابع است

$$f(2)=f(-2) \rightarrow a+2=11-6 \Rightarrow a+b=12$$

$$f(x) = \sqrt{a - bx - x^2} \Rightarrow a - bx - x^2 \geq 0 \quad \text{سوال ١٥:}$$

$$\Rightarrow x \in [a, b] \Rightarrow p = \frac{c}{a} = -a \rightarrow b = -1$$

$$s = \frac{-b}{a} = -b \rightarrow a = -x b = 2$$

$$a + b = 1 \quad \text{جواب}$$

$$a = 0 \quad bx + c = 0 \Rightarrow \frac{-c}{b} = 2 \quad \text{سوال ١٦:}$$

$$-b > 0 \Rightarrow r a + c - r |b| = r x_0 - r b + r b = b \quad \text{جواب}$$

$$\frac{r m + r + a m + a b}{m + a b} \Rightarrow \frac{(r + a)m + r + a b}{m + b} \quad \text{سوال ١٧:}$$

$$\Rightarrow r + a = 0$$

$$a = -r$$

$$r + b = 0$$

$$b = -r \quad \text{جواب}$$

سوال ١٨:

$$y = \sqrt{x(x-1)(x+1)} \quad \begin{array}{c} -1 \quad 0 \quad 1 \\ - \quad + \quad - \quad + \end{array} \quad D_f = [-1, 0] \cup [1, +\infty) \quad \text{الف}$$

$$|n| > 1 \Rightarrow \begin{cases} n > 1 \\ n < -1 \end{cases} \Rightarrow x \in (-\infty, -1) \cup (1, +\infty) \quad \text{جواب}$$

سوال ١٩:

$$|n| \neq [n] \Rightarrow D_f = \mathbb{R} - \mathbb{N} \quad \text{الف}$$

$$\sqrt{y} = 4 - \sqrt{x} \Rightarrow 4 \geq \sqrt{x} \Rightarrow 16 \geq x \Rightarrow x \in [0, 16] \quad \text{جواب}$$

$$\left[r n - \frac{1}{r} \right] + \left[r n - \frac{1}{r} + r \right] > 0 \Rightarrow r \left[r n - \frac{1}{r} \right] + r a \quad \text{١}$$

$$\left[r n - \frac{1}{r} \right] \geq -1 \Rightarrow r n - \frac{1}{r} \geq 0 \quad n \geq \frac{1}{r} \quad \text{جواب}$$

Date _____

Subject _____

$$\ln \log (x_n - a) > 0$$

$$\log x_n - a \leq 1$$

$$x \leq \frac{\ln + a}{r}$$

$$\left\{ \begin{array}{l} x_n - a > 0 \Rightarrow x > \frac{a}{r} \end{array} \right. \quad \text{سوال ١٠:}$$

$$\Rightarrow \frac{a}{r} \leq x \leq \frac{\ln + a}{r}$$

$$\frac{\ln + a}{r} = \frac{a}{r} = \Delta$$