


$r \sin \alpha = y \Rightarrow r y = 11$

(سوال 1)

$\hat{A} = 30^\circ \rightarrow y = \frac{r \sin 30^\circ}{\sin 30^\circ} = r \Rightarrow r^2 = 11$
 $\Rightarrow r = \sqrt{11}$
 $AB = 4\sqrt{2}, AD = 9\sqrt{2}$


$30\sqrt{2}$

$= 4\sqrt{2}(d) = 14\sqrt{2} + 18\sqrt{2} : \text{سيف}$



$S_{ABC} - S_{ADE} = 11\sqrt{2} \sin A$

$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \times \sin A - \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \times \sin A = \frac{1}{2}$



$1 \times \sqrt{3} \sin A - 1 \times 1 \times \sin A = \frac{1}{2}$

$\frac{\sqrt{3}}{2} \sin A - \frac{1}{2} \sin A = \frac{1}{2} \rightarrow \sin A = \frac{1}{\sqrt{3}}$

$\tan A = \frac{\sqrt{3}}{1}$

+ ولسا

$\frac{1 \sin \alpha}{\cos \alpha} = \frac{-\sin \alpha}{\cos \alpha} \Rightarrow \sin \alpha < 0$

(سوال 3)

$\frac{1}{\sqrt{\cos \alpha}}$


$\frac{\sin \alpha}{\cos \alpha} = \frac{1}{\cos \alpha} + \frac{\sin \alpha}{\cos \alpha} \rightarrow \frac{\sin \alpha}{\cos \alpha} = \frac{\sin \alpha}{\cos \alpha}$

$\rightarrow \cos \alpha < 0$

(سوال 3)

$\tan\left(\frac{\pi}{4} - \alpha\right) = \cot \alpha$

(سوال 3)




$y = ax + b \xrightarrow{(r, 0)} y = \frac{1}{2}a + 1/2 \rightarrow a = -\frac{1}{r}$

$\rightarrow \tan \alpha = -\frac{1}{r} \Rightarrow \cot \alpha = -\frac{r}{1}$

$$\frac{\mu \cos(\mu \alpha) - \mu \sin(\mu \alpha)}{\sin(\mu \alpha) - \cos(\mu \alpha)} = \frac{\mu \cos\left(\frac{\mu \alpha}{\mu} - \mu \alpha\right) - \mu \sin(\mu - \mu \alpha)}{\sin(\mu \alpha) - \cos(\mu \alpha)}$$


$$= \frac{-\mu \sin(\mu \alpha) - \mu \sin(\mu \alpha)}{-\sin(\mu \alpha) - \sin(\mu \alpha)} = \frac{-2\mu \sin(\mu \alpha)}{-2\sin(\mu \alpha)} = \mu$$

$$\frac{\sin\left(\frac{\mu}{\mu} + \alpha\right) - \sin(\alpha - \mu)}{|\tan^2 \alpha - 1|} = \frac{\cos \alpha + \sin \alpha}{\frac{1}{\mu}}$$



$$= \frac{\frac{\mu}{\mu} - \frac{\sqrt{\alpha}}{\mu}}{\frac{1}{\mu}} = \frac{\mu - \sqrt{\alpha}}{\frac{1}{\mu}} = (\mu - \sqrt{\alpha}) \times \mu$$

$$\sin \alpha = \mu \cos \alpha \rightarrow \frac{x}{y} = \frac{\mu z}{y} \rightarrow x = \mu z$$



$$\Rightarrow y^2 = z^2 + \mu^2 z^2 \Rightarrow y = \sqrt{\alpha} z$$

$$\cos \alpha = -\frac{z}{\sqrt{\alpha} z} = -\frac{\sqrt{\alpha}}{\alpha}$$

$$\tan 45^\circ = \sqrt{\mu}$$

$$\frac{-\mu m}{m^2 - 1} = \sqrt{\mu} \Rightarrow \sqrt{\mu} m^2 - \sqrt{\mu} = -\mu m$$

$$\rightarrow \sqrt{\mu} m^2 + \mu m - \sqrt{\mu} = 0 \rightarrow m^2 + \mu m - \mu = 0 \quad (m + \mu)(m - 1) = 0$$

$$\Rightarrow m \rightarrow \frac{-\mu}{\sqrt{\mu}} = -\sqrt{\mu}$$

$$\left. \begin{array}{l} \frac{-\mu}{\sqrt{\mu}} = -\sqrt{\mu} \\ \frac{-1}{\sqrt{\mu}} = \frac{\sqrt{\mu}}{\mu} \end{array} \right\} \left| \frac{\sqrt{\mu}}{\mu} + \sqrt{\mu} \right| = \frac{\sqrt{\mu} + \mu \sqrt{\mu}}{\mu} = \frac{\mu \sqrt{\mu}}{\mu}$$

Arman

$$-\frac{\sqrt{m}}{\varepsilon} < n < \frac{\sqrt{m}}{\varepsilon}$$

$$\tan\left(\frac{\mu}{\varepsilon} - n\right) = \frac{1-m}{\mu+m}$$

(9 د)

$$x-1 \downarrow -\frac{\mu}{\varepsilon} < -n < \frac{\mu}{\varepsilon} \xrightarrow{+\frac{\mu}{\varepsilon}}$$

$$0 < -n + \frac{\mu}{\varepsilon} < \frac{\mu}{\varepsilon}$$



$$\frac{1-m}{\mu+m} > 0$$

$$\frac{-r}{-|+|} = \Rightarrow (-r, 1)$$

$$\tan(\mu_0) \cos(\mu_0) + \tan(\varepsilon \mu_0) \sin(\mu_0)$$

(10 د)

$$-\sqrt{\mu} x - \frac{\sqrt{\mu}}{\mu} = +\frac{\mu}{\mu} + \left(-\frac{\mu}{\mu}\right) = 0$$

$$\frac{\mu \varepsilon \cdot \mu \mu}{\sqrt{\mu_0} \cdot \mu}$$

$$\tan(\mu_0) \times \sin(\mu_0) = \sqrt{\mu} \times \frac{\sqrt{\mu}}{\mu} = -\frac{\mu}{\mu}$$